

[To be submitted to the prescribed authority on or before 31st Jan every year for the period from January to December of the every year, by the occupier of health care facility (HCF) or common bio medical waste treatment facility (CBWTF)]

SL No	Particulars	
1	Particular of the Occupier	
	i) Name of the authorized person (occupier or operator of facility)	MD. WAHID . ANSARI (STORE IN-CHARGE)
	ii) Name of HCF or CBMWTF	Medicare Environmental Management Pvt. Ltd.
	iii) Address for Correspondence	Plot Plot No. 82P, 83 to 89 & 90P, Riada Industrial Area, Lohardaga Jharkhand.
	iv) Address of facility	- do -
	v) Tel / Mob No	8521484726
	vi) E mail	bmw.care
	vii) URL / Website	
	viii) GPS coordinates of HCF or CBMWTF	
	ix) Ownership of HCF or CBMWTF	(State Government or Private or semi Govt. or any other).
	x) Status of Authorization under the Bio Medical Management and Handling) Rules.	JS PCB/HO/RNC/BMW-5688795/ 2020/30 valid upto → 30.06.2024
	xi) Status of consent under <u>water</u> Act and <u>Air</u> Act.	31.03.2019 Applied.
2	Type of Health Care Facility	CA CANCER
	i) Bedded Hospital / Nursing Home	79
	ii) Non bedded Hospital / Nursing Home Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other.	N.A
	iii) License number and its date of expiry.	N.A




S.L. No	Particulars																																	
3	Details of CBMWTF	<i>Medicate Environmental Management Pvt. Ltd.</i>																																
	i) Number healthcare facilities covered by CBMWTF	: <i>Collection, Transportation, treatment and disposal of biomedical waste.</i>																																
	ii) No of beds covered by CBMWTF	: <i>79</i>																																
	iii) Installed treatment and disposal capacity of CBMWTF.	: <i>15 kg</i>																																
	iv) Quantity of biomedical waste treated or disposal by CBMWTF.	: <i>15 kg</i>																																
4	Quantity of waste generated or disposal in kg per annum (on monthly average basis)Y	: <i>Yellow Category : Kg/Y 125 kg</i> <i>Red Category : Kg/Y 150 kg</i> <i>White Category : Kg/Y N/A</i> <i>Blue Category : Kg/Y 175 kg</i> <i>General Solid waste : Kg/Y 400 kg</i>																																
5	Details of the Storage, treatment transportation, processing and disposal Facility.																																	
	i) Disposal of the on - site storage facility	: Size : <i>15' x 8'</i>																																
		: Capacity : <i>Kg 200 bag</i>																																
		Provision of on - site storage : (cold storage or any other provision) <i>No</i>																																
	Disposal Facilities	: <table border="1"> <thead> <tr> <th>Type of treatment</th> <th>No of units</th> <th>Capacity Kg/day</th> <th>Quantity treated or disposal in kg per annum</th> </tr> </thead> <tbody> <tr> <td>Incinerator</td> <td><i>N/A</i></td> <td>-</td> <td>-</td> </tr> <tr> <td>Plasma pyrolysis</td> <td><i>--</i></td> <td>-</td> <td>-</td> </tr> <tr> <td>Autoclave</td> <td><i>3</i></td> <td>-</td> <td>-</td> </tr> <tr> <td>Microwave</td> <td><i>1</i></td> <td>-</td> <td>-</td> </tr> <tr> <td>Hydroclave</td> <td><i>-</i></td> <td>-</td> <td>-</td> </tr> <tr> <td>Shredder Needle tip cutter or destroyer.</td> <td><i>6</i></td> <td>-</td> <td>-</td> </tr> <tr> <td>Sharp encapsulation or concrete pit.</td> <td><i>7</i></td> <td>-</td> <td>-</td> </tr> </tbody> </table>	Type of treatment	No of units	Capacity Kg/day	Quantity treated or disposal in kg per annum	Incinerator	<i>N/A</i>	-	-	Plasma pyrolysis	<i>--</i>	-	-	Autoclave	<i>3</i>	-	-	Microwave	<i>1</i>	-	-	Hydroclave	<i>-</i>	-	-	Shredder Needle tip cutter or destroyer.	<i>6</i>	-	-	Sharp encapsulation or concrete pit.	<i>7</i>	-	-
Type of treatment	No of units	Capacity Kg/day	Quantity treated or disposal in kg per annum																															
Incinerator	<i>N/A</i>	-	-																															
Plasma pyrolysis	<i>--</i>	-	-																															
Autoclave	<i>3</i>	-	-																															
Microwave	<i>1</i>	-	-																															
Hydroclave	<i>-</i>	-	-																															
Shredder Needle tip cutter or destroyer.	<i>6</i>	-	-																															
Sharp encapsulation or concrete pit.	<i>7</i>	-	-																															

S.I. No	Particulars	Deep burial pits chemical disinfection		
		Any other treatment equipment		
	iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	Red category (like plastic, glass etc) No.		
	iv) No of vehicle used for collection and transportations of biomedical waste.	Approximately 02 vehicles.		
	v) Details of incinerations ash and ETP sludge generated and disposed during the treatment of waste in kg per annum.	Incineration Ash ETP sludge	Quantity generated	Where disposed
		10 KLD	36000 KLD	Under Ground Under Ground.
	vi) Name of the Common Bio-Medical waste treatment facility operator through which wastes are disposed of.	M/s Medicare Environmental Management Pvt. Ltd. Lohardaga Jharkhand.		
	vii) List of member HCF not handed over bio- Medical waste	N/A		
6	Do you have bio- Medical waste management committee? If yes, attach minutes of the meeting held during the reporting period.	NO YES		
7	Details Training conduct on BMW	NO YES		
	i) Number of Training conducted on BME Management.	YES		
	ii) Number of personnel trained	05		
	iii) Number of personnel trained at the time of induction.	02		
	iv) number of personal not undergone any training so far	NO 20		
	v) whether standard manual for training is available ?	NO YES		
	vi) any other information	NO N/A		

S.L. No	Particulars	
8	Details of the Accident occurred during the year.	NO
	i) Number of Accidents occurred	NO
	ii) Number of the persons affected	NO
	iii) Remedial Action taken (Please attached details if any)	NO
	iv) Any facility occurred, details	NO
9	Are you meeting the standards of air pollution from the incinerator? How many times in last year could not met the standards?	Applied for.
10	Liquid waste generated and treatment method in place. How many times you have not met the standards in a year?	YES
11	Is the disinfection method or sterilization meeting the log 4 standard? How many times you have not met the standards in year?	YES
12	Any other relevant information 1% Sodium hypochloride is used as disinfectant.	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from. :

01.07.20 to 31.06.2021


(VIJAY TOMAR)

Name and Signature of the Head of Institution

Date :

Place :

Vijay Kumar
HCG Curie-Abdur Razzaque Ansari
Cancer Institute, Irba, Ranchi-835217