



The Specialist in Cancer Care

To

The Environmental Officer Karnataka State Pollution Control Board Lakamanhalli Industrial area Dharwad.

DATE: 06-01-2023

SUBJECT: Submission of Annual Report of Bio medical waste management.

Respected Sir/madam,

Here with we would like to submit the annual report of Bio medical waste management for the period 01-01-2022 to 31-12-2022.

Report Enclosed.

Thanking You

Yours faithfully

Sunil D Miragani

Manager- Operations

Hcg NMR Curie Centre of Oncology, Hubli.

and the state of t

T. B. Road, Near Revankar Motors, Deshpande Nagar, HUBLI - 580 029. Tel: (0) 0836 - 4252940, 5255710 Web: www.hcgoncology.com For Appointment: 6358888810 For Any Enquiry: 7406499999

Form – IV (See rule13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

S1.			
0	Particulars		
	Particulars of the Occupier	:	
	(i) Name of the authorised person (occupier or : operator of facility)		Dr. Jaikishen Agiwal
	(ii) Name of HCF or CBMWTF		HCG NMR CURIE CENTRE OF ONCOLOGY
	(iii) Address for Correspondence	•	CENTRE OF ONCOLOGY TB Road, Near Revenlear Kulyan Mantap, Hubbi-5800 TBUROAL Near Revenlear Kulyan Mantap, Hubbi-5800 0836-4252940
	(iv) Address of Facility		TBUROad Near Revenlear Kalyon Mentap, Hobbi - 580.
	(v)Tel. No, Fax. No		0836-4252940
	(vi) E-mail ID	:	
	(vii) URL of Website		
	(viii) GPS coordinates of HCF or CBMWTF		
	(ix) Ownership of HCF or CBMWTF	•	(State Government or Private or Semi Govt. or any other)
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	•	Authorisation No.: PCB/5120-DWD/BMW/2018/ valid up to .30-09-202
	(xi). Status of Consents under Water Act and Air Act		Valid up to:
2.	Type of Health Care Facility		Hospital
	(i) Bedded Hospital	. 19	No. of Beds: 40

	(Clinic or Blood Bank or Clinical y Research Institute or Veterinary Hospital or a other)	or	7		
	(iii) License number and its date of expiry		-		
3.	Details of CBMWTF	:	NA		
	(i) Number healthcare facilities covered CBMWTF	by :	MA		
	(ii) No of beds covered by CBMWTF	:	40		
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	Kg per day		
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	i	Kg/day N Å		
4.	Quantity of waste generated or disposed in Kg position annum (on monthly average basis)		Yellow Category 250 27. Red Category: 280 27. White: 48 kgs Blue Category: 180 kgs General Solid waste:		
5	Details of the Storage, treatment, transportation, processing and Disposal Facility				
			_ NA -		
			of on-site storage : (cold storage or provision)		

	disposal facilities	Type of treatment No Cap Quantity equipment of acit treatedo unit y r s Kg/ disposed day in kg per
		Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or destroyer Sharps
		encapsulation or concrete pit Deep burial pits: Chemical disinfection: Any other treatment equipment:
	(iii) Quantity of recycloble wester	
	sold to authorized recyclers after	: Red Category (like plastic, glass etc.)
		: Red Category (like plastic, glass etc.)
•	sold to authorized recyclers after treatment in kg per annum. (iv) No of vehicles used for collection and transportation of biomedical	Red Category (like plastic, glass etc.) NA Quantity Where generated disposed Incineration — — — — — — — — — — — — — — — — — — —
	sold to authorized recyclers after treatment in kg per annum. (iv) No of vehicles used for collection and transportation of biomedical waste (v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg	: Red Category (like plastic, glass etc.) NA : NA Quantity Where generated disposed Incineration
	sold to authorized recyclers after treatment in kg per annum. (iv) No of vehicles used for collection and transportation of biomedical waste (v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum (vi) Name of the Common Bio-: Medical Waste Treatment Facility Operator through which wastes are	Red Category (like plastic, glass etc.) NA Quantity Where generated disposed Incineration — — — — — — — — — — — — — — — — — — —
	sold to authorized recyclers after treatment in kg per annum. (iv) No of vehicles used for collection and transportation of biomedical waste (v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum (vi) Name of the Common Bio-: Medical Waste Treatment Facility Operator through which wastes are disposed of (vii) List of member HCF not handed	Red Category (like plastic, glass etc.) NA Quantity Where generated disposed Incineration — — — — — — — — — — — — — — — — — — —
•	sold to authorized recyclers after treatment in kg per annum. (iv) No of vehicles used for collection and transportation of biomedical waste (v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum (vi) Name of the Common Bio-: Medical Waste Treatment Facility Operator through which wastes are disposed of (vii) List of member HCF not handed over bio-medical waste. Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during	Red Category (like plastic, glass etc.) NA Quantity Where generated disposed Incineration — — — — — — — — — — — — — — — — — — —

	(ii) number of personnel trained		20
	(iii) number of personnel trained at the time of induction		each trainee
	(iv) number of personnel not undergone any training so far		NIT.
	(v) whether standard manual for training is available?		Yes
	(vi) any other information)	180,187	
8	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		
	(ii) Number of the persons affected		
	(iii) Remedial Action taken (Please attach details if any)		
	(iv) Any Fatality occurred, details.		
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		NIL
	Details of Continuous online emission monitoring systems installed		
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certifi	ed that the above report is for the period fro	of January 2022 to
	3) December	r 2022
		1-401
		Habi
		Name and Signature of the Head of the Institution
Date:	06-01-2023	Databelul Kahim

Place HUBL